

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	48	(measur\$5 or detect\$3) same (bead cutting\$3 near shape) same (welded\$3 near pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:30
L2	1	1 and luminance and threshold	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:27
L3	6	Kodama near Toshifumi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:27
L4	19	Suzuki near Taira	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:28
L5	106	Torao near Akira	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:28
L6	1	Tekemura near Yasumasa	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:28
L7	34	Okabe near Takatoshi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:29
L8	152	((((3 or 4) or 5) or 6) or 7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:29
L9	3	8 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:30
L10	1	8 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:30

L11	5	8 and (bead cutting\$3 near shape) same (welded\$3 near pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:32
L12	20	((bead cutting\$3 near shape) same (welded\$3 near pipe)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:34
L13	704	((measur\$6 or detect\$3) or inspect\$3) same (welded\$3 near pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:35
L14	263	13 and (cut\$4 or seal\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:35
L15	14	((measur\$6 or detect\$3) or inspect\$3) same (electric near resistance near welded\$3 near pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:40
L16	1	"11281343"	JPO	OR	ON	2006/01/12 19:39
L17	117	(electric near resistance near welded\$3 near pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:40
L18	7	(mearsur\$3 or detect\$3) near15 (electric near resistance near welded\$3 near pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:42
L19	44	(seal\$3 oe cutt\$3) and (electric near resistance near welded\$3 near pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:42
L20	36	(seal\$3 or cutt\$3) and (electric near resistance near welded\$3 near pipe)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:42
L21	3	(measur\$6 or inspect\$3) same ((seal\$3 or cutt\$3) and (electric near resistance near welded\$3 near pipe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:42

L22	2	(measur\$6 or inspect\$3) with ((seal\$3 or cutt\$3) and (electric near resistance near welded\$3 near pipe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:43
L23	21	(measur\$6 or inspect\$3) and ((seal\$3 or cutt\$3) and (electric near resistance near welded\$3 near pipe))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:43